	Hits	Search Text	DBs
1	3706	database$1 and (rule$1 or ((manner$1 or way$1) near5 communication$1)) and server$1 and ((internet or network$4 or web) near5 site$1) and ((convert$5 or translat$5) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	1659	l1 and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	762	l2 and ((unique near5 (identifier$1 or id$1 or key$1)) or (primary adj key$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	717	l3 and (instruct$5 or notif$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	505	l4 and (((secured or protected) with access$5) or authenticat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	29382	((709/203) or (709/200) or (709/102) or (709/103) or (709/340) or (709/230) or (709/232) or (707/1-10) or (707/100-104.1) or (370/329) or (370/229) or (370/235) or (379/93.09) or (379/93.11) or (379/100.171)).CCLS.	USPAT; US-PGPUB
7	0	l7 and (recipient$1 or receiver$1 or (receiv$4 adj part$3)) and ((initiat$4 adj part$3) or sender$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	0	17 and (recipient$1 or receiver$1 or (receiv$4 adj part$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	0	17 and ((initiat$4 adj part$3) or sender$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	81	15 and 16	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB